

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: R. Postrel
Serial Number: 10/809,185
Filing Date: March 25, 2004
Title: METHOD AND SYSTEM FOR ISSUING, AGGREGATING
AND REDEEMING MERCHANT LOYALTY POINTS WITH
AN ISSUING BANK

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE TO REQUEST FOR INFORMATION
UNDER 37 CFR 1.105

Applicant submits the following in response to the Request for Information Under 37 CFR 1.105 dated December 11, 2009 ("the Request").

D) RESPONSE TO THE REQUEST

The Examiner has requested Applicant submit a markup for the present application showing the changes made over the prior parent case(s). Applicant submits herewith as Appendix 1 a markup that shows the changes made to the present case with respect to parent application 10/791,149. Additions are shown in underlined text and deletions are shown in strikethrough text.

The Examiner has also requested clarification of where each of the currently claimed limitations finds its earliest support among the family of applications to which priority is claimed so the Examiner can assess which priority date to grant for each claim.

Applicant submits as Appendix 2 a claim chart that lists in the left hand column each current claim limitation, and in the right hand column the location where support for that limitation is found in either (a) parent application 10/791,149, or (b) the current application 10/809,185, as noted. In particular, claims 1-3, 12, 19-22, 29-39, 41-43, 45-53, 62, 69-72, 79-88, 91-93, 95-100 have proper support in the parent application 10/791,149, while claims 13-18, 23-28, 40, 44, 63-68, 73-78, 90 and 94 have proper support in the current application 10/809,185.

Applicant thus submits that the entire application is now in condition for allowance, early notice of which would be appreciated. Should the Examiner not agree with the Applicants' position, a personal or telephonic interview is respectfully requested to discuss any remaining issues and expedite the eventual allowance of this application.

Respectfully submitted,

/arbarkume/

Anthony R. Barkume

Reg. No. 33,831

Attorney for Applicant

Date: December 14, 2009

20 Gateway Lane
Manorville, NY 11949
tel (631) 259-9099
fax (631) 980-7997
anthony@barkume.com

APPENDIX 1

CROSS-REFERENCE TO OTHER APPLICATIONS

5 This application is a continuation-in-part application of
co-pending application serial number 10/608,736, filed on June
27, 2003, which is a continuation of application serial number
09/602,222, filed June 23, 2000, now U.S. Patent No.
6,593,640, which is based on and claims filing priority of co-
10 pending U.S. provisional patent application serial number
60/140,603, filed on June 23, 1999. This application also
claims filing priority of co-pending U.S. provisional patent
application serial number 60/552,689, filed on March 12, 2004.

BACKGROUND OF THE INVENTION

15 This invention relates to loyalty or reward points
programs, and in particular to such programs that allow
merchants to ~~award loyalty~~ provide reward points to users
20 wherein the merchants utilize the pre-existing infrastructure
of a network such as a credit card network for awarding
~~loyaltyreward~~ points, maintaining account information of
users, aggregating ~~loyaltyreward~~ points from various merchant-
based ~~loyaltyreward~~ accounts, and redeeming such ~~loyaltyreward~~
25 points for products and services selected by the users.

 In the prior art, in order to attract and retain business
customers, airlines, hotels, car rental companies, chain
retailers, telecom providers, etc. have historically
30 introduced frequent use programs that offer awards of loyalty
or reward points (e.g. frequent flyer miles) or other such
incentives schemes based on the distance traveled or purchases

made by that customer. Competition has forced airlines to modify the manner in which mileage was acquired to include travel related purchases by consumers. For example, the dollar-based cost of a ticket purchased may be awarded as mileage to a client account. Within the past several years, banks that issue credit cards or other retailers and e-tailers have co-branded credit cards in the name of the airlines and the credit card company where each dollar spent using the card is recorded as a mile of travel or point in the award program. These cards may additionally award bonus miles in coordination with user purchases of preferred products or flights during preferred times.

With regard to Figure 1, a model of the frequent flyer systems of the prior art is presented. Two different airlines servers are shown surrounded by their related marketing partners. In order to lure more business travelers, the airlines have established marketing agreements with travel related companies to provide the business traveler with a more robust way to generate rewards in the form of frequent flyer miles. These marketing arrangements or associations have typically involved credit card companies, phone companies, hotel chains and car rental companies. Any purchases made through these co-branded partners were then awarded to the user periodically. Bonus miles or points may additionally be accumulated based on the user's actions in response to offers made by the airline or in coordination with the partner company. For example, phone companies purchase reward points or miles and then offer them to their customers based on the customer's agreement to switch to their phone service. These points are obtained by the partner companies by purchasing them from the issuing entity for redistribution as an

incentive to utilize their particular goods and/or services. Figure 2 shows some sample co-branded cards that are representative of marketing agreements between TWA, Sprint, and Mastercard. In order to receive these benefits, the user must sign up with each of the partner companies separately and provide the frequent flyer account number that is to receive the credited reward points or miles. A user either making phone calls or purchases in accordance with the agreements made with each of these partners will first accumulate a value on the partner's system which in turn is periodically updated on the airline's reward server to reflect the value earned during that period. Figure 3 is representative of a typical user account that shows various earnings in the system transferred in from any of the co-branded partners. The records of the table in Figure 3 identify the source of the rewards, the dates they were recorded and the number of miles associated with that transaction. The user can view the accumulated miles by accessing the airline's reward server or by tracking the individual value reported to the user through the various bills the user receives from each of the co-branded partners. In any event, the user is faced with an extremely difficult if not practically impossible task of manually coordinating all of his reward accounts to determine how many points may reside in each account, how to redeem points in each account, etc.

Large scale merchants such as chain hotels, chain rental cars, and various airlines are able to implement their own loyalty or reward points schemes since they have the infrastructure in place to maintain user loyalty point accounts. Thus, these large entities are able to build brand loyalty via their own loyalty reward schemes. They are able

to operate independently by awarding their own loyaltyreward points and redeeming the loyaltyreward points by offering their own products and services. A typical example is when a user earns 35,000 American Airlines points and trades them in for a free flight or upgrade, or when a user earns Hilton Honors points by staying at a Hilton hotel, and redeems them for free lodging at a Hilton hotel.

Mid-size and smaller merchants are often unable to implement their own loyalty reward programs due to the high cost of the infrastructure required, including server computers that maintain user loyaltyreward accounts and administration costs. For example, a small independent restaurant or pizzeria may want to award loyaltyreward points and allow users to redeem accumulated reward points for free or discounted meals, but is unable to do so due to the aforementioned high costs involved. As mentioned above, some companies have resorted to purchasing loyaltyreward points or miles from larger companies and then distributing them to their customers, but this does not help build brand loyalty for that company (e.g. MCI gives a customer 5,000 American Airlines points to change to their service, but the customer is not getting MCI-branded points).

It is therefore desired to have a loyalty or reward point program that allows any merchant, regardless of its size, to award their own branded loyalty points and allow users to redeem them for their own products or services in order to build brand loyalty for that merchant. It is also desired to allow users to selectively redeem their reward points at other merchants that are part of the network.

Although the building of brand loyalty by merchants of any size and stature is critical, it is also recognized that users may end up with many ~~loyalty~~different reward point accounts (one for each merchant at which purchases are made),
5 each having relatively small numbers of points. It may take awhile for a user to build a meaningful sum of points with any one merchant, although there are great advantages to both the consumer as well as the merchant in doing so. It is therefore desired to provide a ~~loyalty~~reward point system that allows
10 users to aggregate ~~loyalty~~reward points earned from these various merchants into a ~~central~~reward exchange account, wherein the aggregated ~~loyalty~~reward points may be advantageously used to purchase goods or services from any selected merchant in the system.

SUMMARY OF THE INVENTION

The present invention implements a loyalty or reward point system that utilizes the pre-existing infrastructure of
20 a network such as a typical credit card network, ~~such as~~ (for example the VISA or MASTERCARD credit card networks), and in particular wherein an issuing bank administers the reward program on behalf of merchants and users. In ~~en~~ethis embodiment, a user ~~make~~executes a purchase transaction at a
25 merchant ~~of a product using a token such as credit card.~~ ~~The merchant contacts the acquiring bank (which,~~ a debit card or a smart card (other tokens such as loyalty cards may also be any-
~~type used).~~ In the case of ~~financial institution but is referred~~ a credit card transaction, the merchant provides
30 purchase transaction information to ~~generically herein as the issuing bank~~ (such as by contacting the acquiring bank with which it has contracted for credit card network services), and

as known in the art, will get an approval or decline message after the acquiring bank contacts the issuing bank of the credit card used by the purchaser. Assuming that the purchase transaction is approved, the user is awarded loyalty reward points from the merchant based on the amount of the purchase (e.g. 100 points for a \$100 purchase). ~~A central server resides on the credit card network and tracks the transaction between the merchant, the acquiring bank, and/or the issuing bank.~~ A reward account is maintained ~~on the central server in~~ a database at the issuing bank on behalf of the merchant and the user, and the number of reward points in the user's account for that merchant is increased accordingly. ~~In an alternative embodiment, the user's reward points are logged in a reward account maintained by the acquiring bank on behalf of the merchant (with which it has a contractual relationship) and the user.~~

The user may redeem the reward points earned from the purchase transaction with the merchant at a later time as part of a redemption purchase transaction, or may redeem the points with another approved merchant on the credit card network, or may aggregate those reward points with those of other merchants into a central reward point exchange account, and then redeem the aggregated points for goods or services from any approved merchant on the network, depending on the configuration of the system.

As a result, merchants benefit since they are able to award loyalty ~~or~~ reward points based on purchases made by users without having to implement their own infrastructure; i.e. by using the pre-existing infrastructure of the credit card network (in particular an issuing bank) with which they

have a contractual relationship. Users will benefit since they will be provided with merchant loyalty programs previously unavailable to them due to the high cost of setup and administration of such programs.

5

In particular, banks that are members of a credit card network will see a great benefit under this invention in several ways. As administrators of such a loyalty reward program, banks will be able to participate in each transaction by collecting a transaction fee for the issuance and/or redemption of loyalty points. For example, when a user makes a \$100.00 purchase at a merchant under this invention and uses his credit card to pay for the purchase, the issuing bank will typically retain 1.6% of the price, and the acquiring bank will typically retain 0.4% of the price. An issuing bank that provides the merchant with the ability to record reward points for the user in a log or database under this invention may also retain an additional percentage of the purchase price. The issuing bank can thus increase revenues for each credit card transaction for which the merchant awards reward points as described herein.

10

15

20

25

30

An issuing bank that provides this service for its users will also benefit from this invention since users will have a greater incentive to use that issuing bank's credit card(s) rather than those from a competitor issuing bank that does not have the ability to store merchant loyalty accounts under this invention. That is, if issuing bank A offers this loyalty program for its credit card and issuing bank B does not offer this program for its credit card, then a user will more likely want to obtain and use the credit card of issuing bank A since it can obtain reward points from its purchases using that

credit card. This will result in an increase of cardholders
(and thus revenue) than if the present invention were not
implemented.

5

BRIEF DESCRIPTION OF THE DRAWING

Figure 1 is representative of the prior art marketing arrangements used in reward programs;

10

Figure 2 is a representation of the co-branded partners in a prior art award program;

Figure 3 is a sample of the prior art reward summary from an airline frequent flyer system;

Figure 4 is a block diagram of the components of the present invention;

15

Figure 5 is a block diagram of the system components of the present invention;

Figure 6 is a data flow diagram of the process for a user to redeem rewards;

20

Figure 7 is a data flow diagram of the user request for purchase of an item at a merchant site;

Figure 8 is a data flow diagram of the user account creation process on the trading server;

Figure 9 is a data flow diagram of the offer process by a reward program or by a merchant;

25

Figure 10 is a data flow diagram of the process where a user may be redirected from a reward program to the trading server of the present invention;

30

Figure 11 is an illustration of the process flow in a typical credit card transaction that occurs over a credit card network;

~~Figure 12 is an illustration of a database structure for the maintenance of merchant-issued loyalty points by a~~

~~central server computer in accordance with one aspect of the present invention;~~

~~Figure 13 illustrates the aggregation of reward points from various acquiring bank loyalty accounts; and~~

5 ~~Figure 14 is an illustration of a database structure for the maintenance of merchant-issued loyalty points by an acquiring bank in accordance with another aspect of the present invention.~~

Figure 12 illustrates a credit card network;

10 Figure 13 illustrates a touchscreen POS device used with this invention;

Figure 14 illustrates the interaction between users, merchants, acquiring banks and issuing banks under this invention; and

15 Figure 15 illustrates points aggregation under this invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

20 In the preferred embodiment of the present invention, a pre-existing credit card network infrastructure is utilized to provide merchant-branded reward point accounts for users making purchase transactions with those merchants. Figure 11 illustrates a typical prior art credit card network and a
25 credit card based purchase transaction between a user and a merchant. The credit card network is comprised of thousands of member banks, wherein a member bank may be an issuing bank or an acquiring bank (or it may fulfill the role of both issuer and acquirer). A consumer or user has a contractual
30 relationship with an issuing bank, which will issue the user a credit card such as a VISA card based on finance terms agreed to between the user and the issuing bank. The user will

present the credit card when he desires to make a purchase transaction with a merchant (flow 1). The merchant has a contractual relationship with an acquiring bank, which will agree to pay the merchant after the transaction is approved.

5 When the user presents his credit card to the merchant, the merchant will contact its acquiring bank and request approval of the transaction via the credit card network (flow 2). This is typically done by the merchant swiping the credit card into a POS (point of sale) terminal, but it may be done manually
10 (i.e. over the telephone) as well. In addition, e-commerce sales over a global computer network such as the Internet or an interactive television system may be used under this system. Once the acquiring bank has received a transaction request from the merchant, it determines the issuing bank of
15 the credit card (from the credit card information) and then contacts the issuing bank for approval (flow 3). The issuing bank and the acquiring bank are a part of the credit card network, which may have tens of thousand of such member banks. The infrastructure of the credit card network allows for
20 transactions between acquiring banks and issuing banks as described herein as is well known in the art.

Once the issuing bank receives a transaction request from the acquiring bank, it determines if that user has enough
25 credit to allow the purchase. If the purchase is deemed to be allowed by the issuing bank, it sends an approval message to the acquiring bank (flow 4), and the acquiring bank in turn sends an approval message back to the merchant (flow 5). The purchase transaction may then occur. The issuing bank will
30 pay the acquiring bank the amount (i.e. the requested purchase price) minus an interchange fee (e.g. 1.4% of the price). The acquiring bank will pay the merchant the amount received from

the issuing bank minus its own fee (e.g. .6%). Thus, the merchant will receive the purchase price minus the entire merchant discount of 2%. For a \$100 sale, the merchant will receive \$98, the issuing bank retaining \$1.40, while the acquiring bank retains 60 cents.

The issuing bank will request payment of the full purchase price from the purchaser, typically in a credit card statement that is issued monthly (flow 6). The risk of collection of the purchase price from the consumer is borne by the issuing bank. The user will pay the issuing bank (flow 7), often on a revolving basis with interest attached.

Figure 12 illustrates a typical credit card network, in which numerous acquiring banks, issuing banks, and merchants intercommunicate with each other as described above via a communications network as shown. Figure 12 also illustrates how a user typically communicate with merchants directly, but may also interconnect to the network (via the dotted lines) under this invention to interoperate with the user's reward point accounts (typically stored at the issuing bank of the user's credit card) to check the point balances, control point aggregation, and effect redemption, all as will be described further below.

This type of credit card network thus provides for a merchant to need only one contractual relationship - that with the acquiring bank (and/or the credit card network operator). The merchant is not required to seek payment from the thousands of issuing banks directly - that task is performed as a result of the network architecture. Likewise, the consumer need have only one contractual relationship - that

with the issuing bank. The consumer is not required to promise payment to the thousands of acquiring banks directly - that task is performed as a result of the network architecture. These types of credit card networks currently enable over two trillion dollars to be exchanged per year as a result of credit card purchases, and the present day economy would not operate as it does without such networks.

The present invention leverages this pre-existing credit card network and the relationships between member banks to provide for loyalty point accounts and transactions not possible in the prior art due to their high costs if operated independently as done by large entities such as airlines and hotel chains. In this ~~embodiment~~invention, the merchant is desirous of awarding loyalty or reward points to a purchaser for the purchase of its products or services. The merchant wants to award ~~loyalty-reward~~points that are directly branded by that merchant, rather than having to purchase ~~loyaltyreward~~points from a larger entity such as an airline and distribute them to their customer as in the prior art. In a ~~preferred embodiment, a central server computer will monitor transactions over the network between acquiring banks and issuing banks and determine if loyalty points are to be logged into an account at the central server based upon information contained in the exchanged data. In another embodiment~~this invention, the merchant will leverage the account with the acquiring bank that it already has a contractual relationship with for purposes of the credit card network by ~~instructing~~providing purchase transaction information to the issuing bank, via the acquiring bank, as part of the credit card purchase transaction previously described, so that the purchaser who presented the credit card ~~should~~will receive

loyalty or reward points based on the transaction at a predetermined rate, such as one point per dollar spent. ~~In either embodiment, for~~, which will be stored at the issuing bank. For example, for a \$100 purchase, the purchaser will receive 100 points in an account under his name (or other identification indicia - likely his credit card account number). The merchant may inform the purchaser that he has received 100 of that merchant's loyaltyreward points based on the transaction. In fact, the merchant will likely advertise that he is awarding loyaltyreward points under his brand for purchases made at his store. For example, ~~the Smith Pizzeria~~an electronics store such as BEST BUY will advertise that a \$100 purchase will yield 100 "~~Smith Pizza~~BEST BUY Points" for a purchaser. The merchant here is able to provide this feature without having to establish an expensive infrastructure (i.e. sever computers, administrators, etc.) as in the prior art. Likewise, it is able to award its own branded loyaltyreward points as not seen before in the prior art (rather than simply distributing airline points or hotel points). In addition, the system may be configured so that the ~~credit card network operator that operates the central server~~ issuing bank (e.g. ~~VISA MBNA~~ or ~~MASTERCARD~~CITIBANK) is co-branded with the local merchant awarding the loyaltyreward points. Thus, the loyaltyreward points may be referred to as "~~Smith's Pizza/ VISA~~BEST BUY/ CITIBANK Points", or "~~BLOCKBUSTER/VISA MBNA~~ Points", or "~~GAP/VISA~~FLEET Points", etc.

The merchant is thus able to leverage its pre-existing contractual relationship(s) with the ~~acquiring bank and the credit card network, and either the central server (in one embodiment) or the acquiring bank (in another embodiment)~~___

member banks so that the issuing bank will keep track of the
loyalty points awarded by the merchant to all of its
customers. Similarly, hundreds or thousands of similar
accounts with other merchants will be kept track of in the
5 same manner.

The maintaining of these merchant loyalty points may be
undertaken by storing user and merchant account information in
a database associated with the ~~central server~~issuing bank as
10 shown in Figure ~~12-14~~. Thus, Figure ~~12-14~~ illustrates a simple
database format wherein each merchant and user under that
merchant has a record which indicates how many points are in
the account, as well as other optional information (such as
par value of points, restriction on use, etc.) The format of
15 the storage of the information is unimportant and may take
many forms as well known in the art of relational and other
types of databases. A simple transaction log may keep
information on each transaction processed by the ~~acquiring and
issuing banks~~; this log may be easily modified to include
20 loyaltyreward point information as well. Thus, there may be a
setup fee charged by the ~~credit card network operator~~issuing
bank to initiate the loyalty reward program for a merchant, as
well as transaction fees that provide for a small percentage
of revenue to the ~~credit card network operator~~issuing bank for
25 each transaction ~~made by the central server~~.

~~Preferably, the user is able to view his loyalty point
account balance by logging into a web site run by the central
server. Optionally, the merchant may have a link on its web
30 site so that the user can check his account, or there may be a
redirection to the central server web site, etc. The user may
also be able to place a telephone call and, using well known~~

~~techniques for acquiring information via DTMF tones or audible instructions, obtain account information. The purchaser need not even know that the account is being held for him by the central server since the central server will operate in the~~
5 ~~"back office" aspect of this invention, thus rendering the specific procedures transparent to the user and providing a great ease of use of the system. Although this invention contemplates utilizing the already existing relationships between a merchant and its acquiring bank, and then the~~
10 ~~acquiring bank with the issuing bank, an alternative embodiment will allow the merchant to communicate directly with the issuing bank via the network. That is, a merchant may seek approval of (and payment for) a credit card transaction directly with an issuing bank, as shown by the~~
15 ~~dotted line in Figure 14. In either embodiment, purchase transaction information, that will enable the issuing bank to add reward points to a merchant reward point account associated with the merchant and a user, will be provided by the merchant to the issuing bank, either via the acquiring~~
20 ~~bank or directly.~~

~~Thus, a purchaser may build up many similar loyalty accounts simply by using his credit card for making purchases as he has done so in the past. The system may be configured to not even require a separate "frequent use" account number to be entered at the POS, since this is many time cumbersome for a user. Experience teaches that many users do not even bother with obtaining frequent use or loyalty points (i.e. from major entities such as Hilton Hotels) since the time and effort in opening a separate account, remembering the account number or carrying a separate membership card, remembering~~

~~their PIN, etc. is simply unmanageable. The acquiring bank may simply tie in the loyalty account data to the user's credit card number and a merchant ID setup for each merchant.~~

5 ~~Although some issuing banks have their own reward point program (such as MBNA's MASTERCARD), these programs award points to a user based on their credit card use at a merchant, but the loyalty program inures to the benefit of the issuing bank, and not the merchants themselves. That is, a user gets~~
10 ~~MBNA points. The issuing bank may set up the accounts with each merchant as desired. That is, an issuing bank such as MBNA may agree with a merchant such as BEST BUY that every time a user of MBNA's credit cards purchases an item at BEST BUY, MBNA will allow for a reward point account to be opened~~
15 ~~and increased for that particular user and for BEST BUY transactions only. In one case, there may be a requirement that a specific instruction be sent from BEST BUY to MBNA (typically as part of the credit card transaction) in order for points to be awarded. Thus, there would be an instruction~~
20 ~~from BEST BUY to MBNA that User A should have 150 points added to his BEST BUY account managed by MBNA because he made a \$150 purchase transaction at BEST BUY with his MBNA card. Likewise, when User A visits another participating merchant such as BLOCKBUSTER, there may be an instruction sent from~~
25 ~~BLOCKBUSTER to MBNA that User A should have 30 points added to his BLOCKBUSTER account managed by MBNA because he made a \$30 purchase transaction at BLOCKBUSTER with his MBNA card.~~

30 In another case, there may be predetermined rules established and stored in a reward rules database, for example, at the issuing bank as shown in Figure 14. These reward rules would control the issuance of reward points to

certain users by certain merchants under certain conditions,
as set forth in the rules. For example, a rule may be
established that would provide for all users to obtain reward
points from a merchant based on the particular item purchased
by a user (e.g. all users would receive 25 reward points for
purchasing a DVD, or all users would receive reward points
equivalent to the purchase price for purchasing a particular
brand of stereo equipment, etc.) In addition, a rule may be
established wherein users would receive reward points from a
merchant based on the purchase price of an item (e.g. all
purchases over \$30 are eligible for points). Also, a rule may
be established wherein users are awarded points by merchants
only in certain geographic locations (e.g. all BURGER KING
outlets in Manhattan are awarding points). Another rule would
provide for reward points to be awarded only on certain days
or dates, and/or only at certain times of the day (e.g. reward
points awarded by STARBUCKS only on weekend during morning
hours).

In the case of a rules-based award scenario, specific
instructions need not be given for each transaction by the
merchant to the issuing bank to provide reward points to the
user. Rather, the issuing bank will have information provided
from the merchant and/or other sources as part of the purchase
transaction (such as item purchase, purchase price, location
of merchant, and day/date/time of purchase), and will refer to
the rules database to determine if reward points should be
awarded. In addition to storing the reward rules database at
the issuing bank, the reward rules database may be located at
a merchant site, or at any intermediary or associated site
such as an acquiring bank.

The user will be able to view all of his reward point account balances by either a paper statement and/or a web site. Since a credit card user receives a statement every month that lists his purchases, amounts due, etc., it is efficient to add to the statement a list of all of his reward point accounts, for example as follows:

BLOCKBUSTER	250 points
BEST BUY	695 points
TONY'S PIZZA	110 points
7-11	39 points
SHELL GASOLINE	225 points

The user may also be able to view his loyalty point account balance by logging into a web site run by the issuing bank. Optionally, the merchant may have a link on its web site so that the user can check his account, or there may be a redirection to the central server web site, etc. The user may also be able to place a telephone call and, using well known techniques for acquiring information via DTMF tones or audible instructions, obtain account information. The purchaser need not even know that the account is being held for him by the central server since the central server will operate in the "back office" aspect of this invention, thus rendering the specific procedures transparent to the user and providing a great ease of use of the system.

Thus, a purchaser may build up many similar loyalty reward accounts simply by using his credit card for making purchases as he has done so in the past. Since all credit card transactions at any merchant must be processed by the issuing bank that issued the credit card, then all of the

user's reward point accounts - regardless of the merchant involved - will reside with the same issuing bank. The system may be configured to not even require a separate "frequent use" account number to be entered at the POS, since this is many times cumbersome for a user. Experience teaches that many users do not even bother with obtaining frequent use or loyalty points (i.e. from major entities such as Hilton Hotels) since the time and effort in opening a separate account, remembering the account number or carrying a separate membership card, remembering their PIN, etc. is simply unmanageable. The system may simply tie in the loyalty account data to the user's credit card number and a merchant ID setup for each merchant.

Although some issuing banks have their own reward point program (such as MBNA's MASTERCARD), these programs award points to a user based on their credit card use at a merchant, but the loyalty reward program inures solely to the benefit of the issuing bank, and not the merchants themselves. That is, a user gets "MBNA points" and obtains the account information on his MBNA statement, but there is no branding or loyalty based on a transaction with a given merchant as in the present invention. Moreover, the present invention provides for redemption of points and aggregation of points in a manner not possible with a prior art issuing bank loyalty program (the items that can be obtained with issuing bank points are quite limited and often render the benefits meaningless).

Under this invention, each purchaser/cardholder enjoys the benefits of being an independent account holder, earning loyalty reward points with every merchant that elects to participate under the system. Likewise, each cardholder may

execute a transaction wherein points are purchased from the
~~network operator, an acquiring bank, an issuing bank or a~~
merchant, at a discount rate that will provide transaction
fees for the points issuer/distributor accordingly. The
5 purchased points may be redeemed, or they may be given to
others as a gift, or sold to others, etc. The points have a
par value that may increase or decrease. The system may be
configured so that there are no restrictions on their
transfer)---(i.e. so that they are fungible and fully
10 transferable).

In any event, a merchant's reward points may be made to
be interchangeable with an issuing bank's branded points.
Thus, a holder of BEST BUY points may also use any reward
15 points he has independently accrued on his credit card loyalty
account (e.g. MBNA Mastercard) to purchase items at BEST BUY.

As previously mentioned, rules may be established with
respect to all parties involved - the merchants, the issuing
20 banks, the acquiring banks, and the credit card network
operator - regarding earning, aggregating and redeeming
loyalty points, which will provide a completely customizable
and fluid loyalty point system using an existing credit card
network infrastructure.

25 Although the present invention has been described with
respect to the use of a credit card, the invention will
operate in the same manner with the use of debit cards or
check cards that are becoming popular today. That is, the
30 methodologies employed do not vary significantly when a debit
card is used (except that the purchaser's account is debited
immediately by the issuing bank rather than billing the

purchaser later on) rather than a credit card. The present invention includes the use of such debit cards modified as may be required to operate with the same advantages as herein described.

5

Likewise, the present invention may be advantageously adapted to provide merchant-based loyalty reward points based on cash transactions as well as the aforementioned credit card and debit card transactions. Cash transactions still make up a substantial portion of purchases, and it would be beneficial for a merchant to provide loyalty points to purchasers using cash in addition to those using credit or debit cards. This will further increase loyalty to that merchant. In this case, the purchaser would still have to present some identification such as his credit card (if the credit card number is being used for unique identification of the purchaser and indicating his loyalty account with the central server). Thus, for example, if a purchaser pays \$50 in cash for an item at a store and presents his credit card, the credit card may be swiped at the POS for the sole purpose of awarding him 50 reward points at the ~~acquiring~~issuing bank server.

In situations where a customer may not be creditworthy, or simply may not want to have any credit cards or debit cards, a "dummy" card may be ~~issued~~used as the token that takes the shape and form of a credit card, along with branding by the issuer, and which may have the logo of the credit card network imprinted thereon, but which is not tied to a credit account or a debit account of the user. The card is used to link the user to a ~~loyalty~~reward points account in the same manner that an actual credit or debit card is linked. (In addition, when the user wishes to redeem his loyalty reward

points, the points may be utilized for a purchase by presenting the card and swiping it into the POS terminal in a manner similar to a credit card presentation.)

5 In the present invention, reward points accounts for a user shopping at a merchant may be opened and awarded automatically, or the system may require an enrollment process by the merchant, in which the merchant has the opportunity to capture relevant demographic and other data regarding the
10 users.

~~-----Once the purchaser has earned loyalty points with this invention, he or she may choose to redeem his loyalty points in any one of various manners. In one embodiment, the
15 purchaser will execute a purchase transaction with the merchant directly, and indicate that he wishes to utilize his loyalty points to pay for the item in full or in part. For example, the purchaser may want to use 5,000 of his Smith Pizzeria reward points (worth one cent per point) to reduce
20 the purchase price of a meal for his family from \$75 to \$25. He indicates this to the merchant at the point of sale (which may be over a web site or physically at the restaurant). In the event that he presents his credit card to make his partial payment, then the same approval process takes place as
25 described above. In addition, the purchaser's loyalty account is reduced by the number of designated points (i.e. 5,000 points). This is easily done in this scenario since the central server is tied into the credit card network and can be easily accessed by the acquiring and issuing banks. The
30 merchant issues an instruction to reduce the loyalty account accordingly. In this case, the issuing bank will pay the acquiring bank \$25, and the acquiring bank will pay the~~

merchant \$25 and cause the central server to reduce the appropriate loyalty point account by 5,000 points (the discounts mentioned above will be also taken by the member banks). As a result, the Smith Pizzeria has now provided a very powerful loyalty scheme without any significant investment in infrastructure that would be required had it not used the infrastructure of the member banks of the credit card network. By paying a modest transaction fee (i.e. a chargeback), the merchant has gained significant loyalty power that was heretofore unavailable.

----- In a further embodiment, the user/purchaser may aggregate reward points from more than one loyalty point account to increase his purchasing power. That is, he may have dozens or even hundreds of similar reward accounts with the various merchants with which he does business, such as hardware stores, movie theaters, car washes, video rental stores, gas stations, hotels, airlines, etc. Since any type of merchant that accepts a credit card such as VISA or MASTERCARD is empowered with a custom-tailored loyalty program (or a global universal network-based rewards program) under this invention, there is virtually no limit to the number and type of loyalty accounts that a user may have.

----- Loyalty points aggregation is undertaken by an exchange server, which may be on the same computer as the central server that stores the loyalty point records for each merchant and user. The exchange server allows a user to view his loyalty points portfolio easily (such as on a web page), it allows the user to manage the exchange of loyalty points from any of his individual merchant accounts into his exchange account, and it allows the user to execute purchase

transactions with his aggregated loyalty points. For example, user John Doe may establish an exchange account with VISA directly, and VISA will use his account number (with appropriate security procedures) to determine all of the loyalty database records on the central server. John Doe will not need to enter dozens or even hundreds of account numbers, since his loyalty accounts will be tied directly to his credit card number. Once the central exchange server obtains his loyalty points information from the various databases and separate accounts, it will generate a web page to display the account totals to the user. The user can then instruct the central exchange server to exchange points into his exchange account from selected accounts as desired. Consideration will be provided from the merchant to the central server that correlates to the number of points exchanged. So, for example, if the user requests that 5,000 points be transferred from his Smith Pizzeria loyalty account to his VISA exchange account, then the Smith Pizzeria account will be reduced by 5,000 points and the acquiring bank will transfer \$50 (minus a merchant exchange fee) to the VISA server. The Smith Pizzeria acquiring bank will invoice the merchant by the reduced amount, which may for example be \$30. The purchaser will no longer be able to obtain a direct loyalty discount for those points with the merchant since he has exchanged them into his central account. (He may still be able to redeem his exchange points with that merchant as part of a network-based transaction, described below).

Aggregation of reward points by an exchange server also allows a user to use different credit cards with the same merchant and combine the points in one purchase. That is, in the event that a purchaser uses more than one credit card at

~~different times to make his purchases at a merchant, then his
loyalty points will be stored on different accounts at the
central server. The purchaser can later aggregate those
points by the exchange server into one account, by indicating
the different credit card numbers to the exchange server and
instructing the exchange server to aggregate the points from
the various accounts on the central server. This may be done
for groups of cards such as when various family members hold
cards on the same account. It is noted that the user may
optionally be able to use the different credit cards at a POS
with the merchant and obtain loyalty point redemption directly
for the different accounts at the merchant without needing to use
the exchange server.~~

~~When the purchaser utilizes the exchange server for
aggregating his or her loyalty points from various merchants,
exchange rates may be set wherein the purchaser loses some
points or value as a transaction fee based on the exchange.
So, for example, the purchaser may only net 3,000 exchange
points for the above transaction in which 5,000 merchant
points are exchanged. The actual exchange rate and fee
structure may be set amongst the merchants and the exchange
server operator in order to provide a fair compensation scheme
for each party while maintaining the benefits of the system,
including the building of merchant loyalty and the ability of
the consumer to use his loyalty points in ways heretofore
unavailable.~~

~~The purchaser may repeat this type of transaction with
any or all of his accounts and aggregate them into his
exchange account for the purpose of purchasing an item that he
may otherwise be unable to obtain with the points aggregation.~~

For example, he may aggregate 3,000 points from one account, 7,000 from another account, and 10,000 points from another to provide a total of 20,000 exchange points in his central account. Although the system greatly advantages mid-sized and smaller merchants that have no independent loyalty programs, the consumer may also be able to exchange points from outside the network; i.e. from airlines or hotel chains, into his central exchange account.

After the purchaser has aggregated his desired points, he may execute a purchase transaction with those points. In the preferred embodiment, the purchaser may purchase any item at any merchant that accepts his credit card which will be virtually every merchant. The aggregated loyalty points will reduce the purchase price by the number of points surrendered by the purchaser for that transaction. In this case, the merchant may be required to pay a small transaction fee to cover the administrative cost of utilizing aggregated reward points under the invention. The purchaser may pay for all or part of the purchase with aggregated points. When the purchase executes the transaction, the number of designated points is taken from the aggregated account, and corresponding consideration is transferred to the appropriate merchant (minus a transaction fee). As an option, the transaction fee for a merchant may be lessened or even waived if the purchase is made with loyalty points issued by that merchant (as opposed to loyalty points from another merchant).

The present invention allows for a transaction executed with reward points to bypass the acquiring and issuing banks and proceed directly with the central server, assuming that the user has enough points in his separate loyalty and/or

~~exchange account(s). In the event that part of the purchase must be made with the credit card, then payment of the balance would be redirected to the acquiring bank and issuing bank as done in the prior art for regular purchases.~~

5

~~In an alternative embodiment, the purchaser may select an item from a catalog of items provided in conjunction with the central exchange account. For example, in the VISA embodiment, VISA may partner with an entity or entities that can provide to it a catalog of items for sale. The purchaser can easily link to that catalog and make a purchase accordingly.~~

10

~~In an alternative embodiment, an issuing bank may fill the role of the exchange server. Since the issuing bank of the purchaser is already a member of the credit card network, it can leverage its network membership to obtain account information from each of the acquiring banks and execute requested exchanges as directed by the purchaser and described above. Once the points have been aggregated by the purchaser, he may make a purchase transaction with any merchant that will accept his credit card. He can indicate that he is making the purchase with aggregated points only, with points and credit, etc. This may be done easily over a web site if it is an ecommerce transaction, or it may be done at the physical point of sale. In the alternative, the purchaser may simply choose to pay full price at the POS and then reduce his bill from the issuing bank by a corresponding amount of aggregated loyalty points.~~

20

25

30

~~In an alternative embodiment, the role of the loyalty point account holder at the merchant level may be filled by an~~

~~acquiring bank instead of the central server as described above. In this case, an account is maintained on behalf of the merchant and the purchaser by the acquiring bank with which the merchant has a pre-existing contractual relationship. Since all acquiring banks have pre-existing relationships with at least one merchant, they can readily provide transaction information regarding loyalty points awarded by individual merchants.~~

Referring to Figure 14, an example of the present invention will be described. In this simplified scenario, user 1 (U1) purchases products at merchant 1 (M1), merchant 2 (M2), and merchant 3 (M3). Both M1 and M2 happen to use the same acquiring bank 1 (AB1) for processing their credit card transactions. Merchant 3 (M3) uses a different acquiring bank 2 (AB2). As a result of the purchases AB1 and AB2 must transact with issuing bank 1 (IB1), which issued U1's credit card. As a result of his transactions with M1, U1's "M1 Loyalty Points" are stored in account 1 (A1). As a result of his transactions with M2, U1's "M2 Loyalty Points" are stored in account 2 (A2). And, as a result of his transactions with M3, U1's "M3 Loyalty Points" are stored in account 3 (A3).

User 2 (U2) also has a credit card issued by IB1, and his transactions with M1, M2 and M3 yield "M1 Loyalty Points" at account 4 (A4), "M2 Loyalty Points" at account 5 (A5), and "M3 Loyalty Points" at account 6 (A6). These accounts are also shown in the IB1 Points Database stored in association with IB1.

Each of these accounts A1-A6 represents separate loyalty accounts that U1 and U2 have with each of these merchants individually. For example, A1 may represent U1's loyalty

points with BEST BUY; A2 may be his loyalty points with
CIRCUIT CITY, and A3 may be his loyalty points with
BLOCKBUSTER, all of which were earned as a result of purchase
at those merchants with the credit card issued by IB1. U1 and
5 U2 may utilize these loyalty accounts separately for
redemption at those or other related merchants, as described
below. Either user may aggregate or combine their loyalty
reward points into an exchange account for increased
purchasing power, also as described below.

10
Once the purchaser has earned reward points with this
invention, he or she may choose to redeem his points in any
one of various manners. In one embodiment, the user U1 will
execute a redemption purchase transaction with the merchant M1
15 directly, and indicate that he wishes to utilize his reward
points from account A1 to pay for the item in full or in part.
For example, the purchaser may want to use 5,000 of his BEST
BUY reward points from A1 (worth one cent per point) to reduce
the purchase price of an electronics product from \$75 to \$25.
20 He indicates this to the BEST BUY merchant M1 at the point of
sale (which may be over a web site or physically at the
store). In the event that he presents his credit card to make
his partial payment, then the same approval process takes
place as described above. In addition, the purchaser's
25 loyalty account A1 at the issuing bank is reduced by the
number of designated points (i.e. 5,000 points). The merchant
M1 issues an instruction to the issuing bank IB1 (via the
acquiring bank AB1) to reduce the loyalty account A1
accordingly. In this case, the issuing bank IB1 will pay the
30 acquiring bank AB1 \$25, and the acquiring bank AB1 will pay
the merchant M1 \$25 and the issuing bank IB1 will reduce the
appropriate loyalty point account A1 by 5,000 points (the

discounts mentioned above will be also taken by the member banks). As a result, BEST BUY has now provided a very powerful loyalty scheme without any significant investment in infrastructure that would be required had it not used the infrastructure of the member banks of the credit card network. By paying a modest transaction fee (i.e. a chargeback), the merchant has gained significant loyalty power that was heretofore unavailable.

In addition to using a reward point redemption instruction from the merchant to the issuing bank (either directly or via the acquiring bank), a set of redemption rules may be put in place, similar to those described above with respect to points automatically awarded for purchase transactions. Thus, these redemption rules would control the redemption of reward points by certain users at certain merchants under certain conditions, as set forth in the redemption rules. For example, a rule may be established that would provide for all users to redeem reward points with a merchant based on the particular item purchased by a user. In addition, a rule may be established wherein users would redeem reward points with a merchant based on the purchase price of an item. Also, a rule may be established wherein users redeem points with merchants only in certain geographic locations. Another rule would provide for reward points to be redeemed only on certain days or dates, and/or only at certain times of the day.

Reward point issuance and redemption may occur physically at a point of sale, such as a store location, or it may occur online as part of an online purchase transaction. In the case of a physical store, the user would present the token, which

in the preferred embodiment is the credit card, to have the merchant award (or redeem) points to his account as identified by the credit card number. Other tokens may be used, such as debit cards, loyalty cards, smart cards, stored value cards, etc. As long as the token has a unique identification number associated with it, that number may be used to identify the user. This of course may be done online as well with methods well known in the art, such as by entering a credit card number as part of a purchase transaction over the Internet. In addition, intangible tokens may be used, such as a user's social security number or a predefined PIN. In the event that the user does not have a credit card, and his SSN is used, then the issuing bank may link the user to his reward account by the SSN (or other PIN) even though a credit transaction does not occur.

Optionally, the system may be configured to provide that merchants may be reward points issuers only (without point redemption), or they may be reward points redeemers only (without point issuance). In the case wherein a merchant elects to be only a point redeemer, rules will be established and stored that will indicate from which other merchant loyalty accounts that merchant will accept and redeem points. When merchant A chooses to accept points that were originally issued by merchant B, then merchant B will provide consideration, via the system, to merchant A as a result of the redemption. Merchant A may only receive a percentage (e.g. 90%) of the purchase price, with the discount being held by the system as a transaction fee. For example, when merchant A sells a product to a purchaser that costs \$10, and the purchaser elects to redeem points for the purchase, he must redeem 1,000 points (at one cent per point) that were

issued by merchant B. Merchant B will pay \$10 into the system in exchange for retiring the points, and merchant A will receive \$9 in payment for the item purchased. Merchant B will have acquired a customer, and made an incremental profit on the sale, that it would otherwise not have made if it did not act as a point redeemer under this invention. In the event that merchant A becomes a point issuer as well as a point redeemer, then the discount may decrease to 5% - so that the same transaction as above will result in the merchant A receiving \$9.50 rather than \$9.00.

In situations where a purchaser attempts to redeem points at a store for the first time (i.e. with that were obtained from a different issuer merchant), the redeeming merchant may elect to provide a bonus opportunity for that purchaser as a reward for using that merchant for redemption. For example, the merchant may provide that the points have an increased value for that particular redemption, or it may provide a purchase price discount, etc.

In addition to redeeming reward points directly with the merchant that awarded the points, the user/purchaser may aggregate reward points from more than one merchant loyalty reward point account to increase his purchasing power. That is, he may have dozens or even hundreds of similar reward accounts with the various merchants with which he does business; such as hardware stores, movie theaters, car washes, video rental stores, gas stations, hotels, airlines, etc. Since any type of merchant that accepts his credit card is empowered with a custom-tailored loyalty program under this invention, there is virtually no limit to the number and type

of merchant loyalty accounts that a user may have at his
issuing bank.

Loyalty points aggregation is undertaken by an exchange
server database, which may be on the same computer of the
issuing bank that stores the reward point accounts for each
merchant and user (or which may be located with any entity on
the network or external to the network and operating on behalf
of the network members). The reward point exchange server
allows a user to view his loyalty points portfolio easily
(such as on a web page or in a printed document mailed to the
user periodically, e.g. the billing statement), it allows the
user to manage the exchange and aggregation of reward points
from any of his individual merchant accounts into his reward
point exchange account, and it allows the user to execute
redemption purchase transactions with his aggregated reward
points. For example, user U1 may establish a reward point
exchange account E1 with his issuing bank (such as CITIBANK)
directly, and CITIBANK will use his account number (with
appropriate security procedures) to determine all of the
reward database records and accounts on the issuing bank
server. User U1 will not need to enter dozens or even
hundreds of account numbers, since his loyalty reward accounts
will be tied directly to his credit card number. Once the
reward point exchange server obtains his reward points
information from the separate merchant accounts, it will
generate a web page to display the account totals to the user.
The user can then instruct the reward point exchange server to
aggregate reward points into his reward point exchange account
from selected merchant accounts as desired. Consideration
will be provided from the merchant to the reward point
exchange server that correlates to the number of points

exchanged. So, for example, if the user requests that 5,000 points be transferred from his BEST BUY merchant reward account A1 to his reward point exchange account E1, then the BEST BUY account A1 will be reduced by 5,000 points. The BEST BUY acquiring bank will invoice the merchant by the reduced amount, which may for example be \$30. The user U1 will no longer be able to obtain a direct loyalty discount for those points with the merchant M1 since he has exchanged them into his reward point exchange account E1. (He may still be able to redeem his exchange points from E1 with that merchant M1 as part of a cluster or network-based transaction, described below).

Aggregation of reward points by a reward point exchange server also allows a user to use different credit cards with the same merchant and combine the points in one purchase. That is, in the event that a purchaser uses more than one credit card at different times to make his purchases at a merchant, then his loyalty points will be stored on different accounts at different issuing bank servers. The purchaser can later aggregate those points by the exchange server into one account, by indicating the different credit card numbers to the reward points exchange server and instructing the exchange server to aggregate the points from the various accounts on the various issuing bank servers. This may also be done for groups of cards such as when various family members hold cards on the same account. It is noted that the user may optionally be able to use the different credit cards at a POS with the merchant and obtain loyalty point redemption directly for the different accounts at the merchant with needing to use the exchange server.

When the purchaser utilizes the reward points exchange server for aggregating his or her loyalty reward points from various merchants, exchange rates may be set wherein the purchaser loses some points or value as a transaction fee based on the exchange. So, for example, the purchaser may only net 3,000 exchange points for the above transaction in which 5,000 merchant points are exchanged. The actual exchange rate and fee structure may be set amongst the merchants, the issuing bank and the reward points exchange server operator (which may also be the issuing bank) in order to provide a fair compensation scheme for each party while maintaining the benefits of the system, including the building of merchant loyalty and the ability of the consumer to use his reward points in ways heretofore unavailable.

The purchaser may repeat this type of transaction with any or all of his accounts and aggregate them into his reward points exchange account for the purpose of purchasing an item that he may otherwise be unable to obtain with the points aggregation. For example, he may aggregate 3,000 points from one account, 7,000 from another account, and 10,000 points from another to provide a total of 20,000 exchange points in his reward points exchange account. Although the system greatly advantages mid-sized and smaller merchants that have no independent loyalty programs, the consumer may also be able to exchange points from outside the network; i.e. from airlines or hotel chains, into his reward points exchange account.

After the purchaser has aggregated his desired points, he may execute a redemption purchase transaction with those points. In the preferred embodiment, the purchaser may

purchase any item at any merchant that accepts his credit card
- which will be virtually every merchant. The aggregated
loyalty reward points will reduce the purchase price by the
number of points surrendered by the purchaser for that
5 transaction. In this case, the merchant may be required to
pay a small transaction fee to cover the administrative cost
of utilizing aggregated reward points under the invention. The
purchaser may pay for all or part of the purchase with
aggregated reward points. When the purchaser executes the
10 redemption purchase transaction, the number of designated
reward points is taken from the reward points exchange
account, and corresponding consideration is transferred to the
appropriate merchant (minus a transaction fee). As an option,
the transaction fee for a merchant may be lessened or even
15 waived if the purchase is made with loyalty reward points
issued by that merchant (as opposed to loyalty reward points
from another merchant).

The present invention allows for a transaction executed
20 with reward points to bypass the acquiring and issuing banks
and proceed directly with the reward points exchange server,
assuming that the user has enough aggregated reward points in
his reward points exchange account. In the event that part of
the redemption purchase must be made with the credit card,
25 then payment of the balance would be redirected to the
acquiring bank and issuing bank as done in the prior art for
regular purchases.

In an alternative embodiment, the purchaser may select an
30 item from a catalog of items provided in conjunction with the
reward points exchange account. For example, CITIBANK may
partner with an entity or entities that can provide to it a

catalog of items for sale. The purchaser can easily link to that catalog and make a redemption purchase accordingly.

As previously noted, an issuing bank may fill the role of the reward points exchange server since it holds all of the user's merchant-sponsored reward points accounts. Once the points have been aggregated by the purchaser, he may make a redemption purchase transaction with any merchant that will accept his credit card. He can indicate that he is making the purchase with aggregated reward points only, with reward points and credit, etc. This may be done easily over a web site if it is an e-commerce transaction, or it may be done at the physical point of sale. In the alternative, the purchaser may simply choose to pay full price at the POS and then reduce his bill from the issuing bank by a corresponding amount of aggregated reward points.

The system of the present invention may be adapted so that the reward points exchange service is located on any computer either within the credit card network or external to the network. As described more fully below, the exchange server needs to be in communication with the computers that store the individual reward points accounts, in order for points aggregation to occur as explained herein. In a preferred embodiment, the purchaser/user is given access to the reward point exchange server, such as by a web page over the Internet, to allow him or her to view the loyalty point account information, aggregated point information, and to effect aggregation of points from one or more individual reward point accounts into the points exchange account as desired.

In one aspect of the invention, the merchant is the entity that essentially funds the administrative costs and overhead of the loyalty program. Thus, the merchant has acquired entry into a powerful loyalty program and robust customer acquisition program in exchange for paying nominal transaction fees on points issuance and/or aggregation and/or redemption against the incremental revenue gained due to the loyalty program. Unlike a network-funded loyalty system, which provides nominal incentives and is highly restrictive with no meaningful awards obtainable, the present invention eliminates restrictions if desired and provides a broad-based points issuance, aggregation and redemption network.

~~In a further embodiment of this invention, a methodology referred to herein as cluster marketing is employed. A cluster may be defined by a group of partner merchants that are related in virtually any manner as defined by the cluster. For example, an entertainment cluster may be defined by a pizzeria, a video rental store, an ice cream shop, a movie theater, and a music store. The cluster may exist in a given geographic location such as a certain town, or it may be extended into larger regions or across the country, etc. Once a cluster is defined, each member will award their own branded loyalty points as described above (or branded with the cluster itself, if desired), and the central server (or acquiring bank for each cluster partner) will maintain user loyalty accounts based on purchases made by a user with a credit card at that location. An exchange account is also created for each user and maintained by the credit card network, an independent entity, an acquiring bank, or an issuing bank as described above. In this embodiment, only loyalty points from cluster partners may be aggregated with each other into the central~~

~~server points aggregation account. Thus, the user may aggregate his loyalty points from his pizzeria account, his ice cream store account, and his movie theater account, since they are partners in the same cluster. They may or may not carry the same par value. He may then make a purchase from any of the cluster partners and utilize his aggregated loyalty points to pay for the item in whole or in part. He may also use his~~ As a result of providing loyalty points to different users who may have credit cards issued by different issuing banks, a merchant will have loyalty points accounts stored in various issuing banks. A points exchange database may also be employed by any member bank (or a network operator or third party) that allows a merchant to view his total points that have been awarded to various users at various issuing banks. Thus, merchant bank can monitor and be aware of his outstanding loyalty points even though they may exist amongst numerous issuing banks. Figure 15 illustrates this concept, wherein two issuing banks IB1 and IB2 have their points databases as shown. A points log is kept at points exchange database (even though the points have not actually been exchanged). Thus, M1 can determine the total number of points by viewing accounts A1, A4, A7, and A10 (corresponding to users U1, U2, U3, and U4).

It is known in the prior art that a debit card may be used to access a user's account to make a purchase in one of two ways; either by a PIN based transaction or by a signature based transaction. Under this invention, a reward point account may be opened and tracked (for awarding as well as redeeming points) for each of these two types of transactions so that a user may have two reward point accounts with a given merchant accordingly. The user may aggregate reward points

from these accounts, either into each other or into an exchange account as described above, if desired.

In a further embodiment of this invention, a methodology referred to herein as cluster marketing is employed. A cluster may be defined by a group of partner merchants that are related in virtually any manner as defined by the cluster. For example, an entertainment cluster may be defined by a pizzeria, a video rental store, an ice cream shop, a movie theater, and a music store. The cluster may exist in a given geographic location such as a strip mall, a town, or it may be extended into larger regions or across the country, etc. Once a cluster is defined, each member will award their own branded loyalty reward points as described above (or branded with the cluster itself, if desired), and the issuing bank server will maintain user reward accounts based on purchases made by a user with the issuing bank credit card at that location.

Agreements will exist between the cluster members that will define, via a set of rules stored in a database in the system, how points may be awarded and/or redeemed by members within the cluster. For example, cluster members may simply agree to honor each other's reward points at redemption. In this case, cluster member A will award its own loyalty points, and cluster member B will award its own loyalty points. When a user makes a purchase at cluster member B, he may redeem his cluster member A points as well as his cluster member B points. If he tries to redeem points at cluster member A or B that were issued by a merchant that is not a member of that cluster, he would be denied redemption. For example, a pizzeria, ice cream shop, and video store located in the same strip mall may agree to form a cluster and redeem each other's

reward points, but no one else's reward points. This rule would be generated and stored in the database so that the system could check to see if an attempted redemption is allowed by the rule. This will provide an incentive to users to shop at these merchants in the same strip mall since they can use reward points at any such merchant, rather than going to a different merchant in a different mall where points would not be interchangeable at redemption. These cluster rules could be easily modified as desired as merchants enter and exit the cluster.

A reward points exchange account relevant to the cluster may also be created for each user and maintained by the credit card network, an independent entity, an acquiring bank, or an issuing bank as described above. In this embodiment, only loyalty reward points from cluster partners may be aggregated with each other into the reward points exchange server aggregation account. Thus, the user may aggregate his loyalty points from his pizzeria account, his ice cream store account, and his movie theater account, since they are partners in the same cluster. They may or may not carry the same par value. He may then make a redemption purchase from any of the cluster partners and utilize his aggregated reward points to pay for the item in whole or in part. (He may also use his reward points from one cluster partner to pay for products from another cluster partner, even if not aggregated on the exchange account, as described above).

By implementing a cluster partner methodology as described, each cluster partner may advertise the existence of the cluster and the partners involved, which will help each partner drive business within the cluster for the purchase of

a given product or service. That is, if a consumer is a member of a given cluster, he is more likely to use the products and services of other members of that cluster in order to build his aggregated loyalty reward points quicker than if he used merchants not in that cluster. Thus, although each cluster partner has gained an advantage by offering his own branded loyalty points as previously unavailable in the prior art, each partner has also benefited from the marketing powers of his cluster partners to drive business within the cluster.

As mentioned above, clusters may be defined in any way by the system. A cluster may be defined by business groups such as an attorney cluster. This type of cluster may include merchants commonly used by an attorney, such as an office products supplier, an accountant, a legal research firm, etc. A homemaker cluster may be defined by a supermarket, a dry cleaners, a bank, a florist, and a hairdresser, etc. Likewise, a cluster may be defined by similar merchants across various regions. For example, a limousine cluster may be defined by a group of independent limousine operators across the country (e.g. all services that operate at an airport) so that a traveler may be have incentive to use only those services when he travels, gaining the benefits of increased loyalty points aggregation by using those services.

The system in this embodiment will thus include many clusters, and some merchants may in fact be members of different clusters if permitted by the member agreements. Groups of clusters may also form marketing agreements amongst themselves to allow points aggregation amongst clusters.

In a further embodiment of the invention, the system may operate to include certain types of businesses in an exclusive manner. For example, the system may be adapted to include only one pharmacy chain store, such as WALGREENS, as part of the loyalty network. In this case, WALGREENS would be the only pharmacy store that would issue branded loyalty points that could be aggregated with other loyalty points as described above, both within as well as outside a cluster. The system may also be adapted to allow other smaller pharmacies to operate in the loyalty point scheme if desired.

A merchant may choose to opt out of the system redemption process and accept points only that it previously awarded. Although this invention has been described with respect to a credit card network, other types of networks and infrastructures may be used as well. For example, a global communications network such as the Internet may be used, as well as a wireless network and an interactive television network.

~~-----Loyalty~~In the alternative to utilizing the issuing bank for storing individual merchant reward point accounts as well as aggregated reward point accounts, a central server may be used for this function as shown in Figure 12. That is, a centralized functionality may be used, such as a credit card network administrator or operator, to perform the functions of the present invention. In this case, the merchant computers and/or the acquiring banks would communicate via the network (or via an external network such as the Internet) with the central server to instruct the central server to store reward points, redeem reward points, and aggregate reward points, in the same manner as with the issuing bank described above. By

centralizing the reward point account functions, advantages may be realized such as scalability, economies of scale, etc.

For example, a central server may reside on the credit card network and track the transactions between the merchant, the acquiring bank, and/or the issuing bank. A reward account is maintained on the central server on behalf of the merchant and the user, and the number of reward points in the user's account for that merchant is increased accordingly. There may be a setup fee charged by the central server to initiate the loyalty program for a merchant, as well as transaction fees that provide for a small percentage of revenue to the central server for each transaction made by the central server. Preferably, the user is able to view his loyalty point account balances and aggregate reward points as described above by logging into a web site run by the central server.

The point of sale (POS) terminal for the present invention will now be described. In the preferred embodiment, the purchaser uses a credit card as a token for accessing the system; i.e. for obtaining reward points for a purchase transaction with a merchant and for redeeming reward points during a redemption purchase transaction with the merchant. When the purchaser visits a physical location such as a store for making a purchase transaction, he will present his credit card as in a regular credit card transaction. In one case, the POS terminal will be located on the counter so that the purchaser can swipe the credit card through the magnetic stripe reader in the open slot, and the POS terminal will read the credit card information, which will identify the issuing bank as well as the account number of the purchaser. An example of this device is shown in Figure 13. A message will

be sent to the merchant's acquiring bank, which will include the credit card information as well as the merchant identification and the amount of the purchase (i.e. the credit requested for authorization). The message may also include an instruction for the acquiring bank to award reward points to the purchaser related to the amount of the purchase, assuming it is approved and executed. For example, the POS may be adapted to instruct the issuing bank to award one point for each dollar in a given transaction, so a \$100 purchase would result in the issuing bank logging 100 reward points in the account associated with that merchant and that purchaser, as identified in the message sent to the issuing bank via the acquiring bank from the merchant POS terminal.

The POS terminal will have a display (e.g. a touchscreen) that typically shows the purchaser the amount of the purchase, and a line for a signature to be entered by the purchaser once the transaction has been authorized by the issuing bank. The display will also show the purchaser how many points that have been awarded as a result of the transaction, and it may optionally show the total number of points in the purchaser's account with that merchant (in this case, the total would be sent back from the issuing bank to the merchant POS as part of the authorization message). Other information regarding the reward point system may also be displayed, such as "Purchase a CD next weekend and get double points!", or the like. Optionally, the number of points may also be printed on the receipt that is printed by the POS terminal and given to the purchaser.

In the case where a reward rules-based scenario is implemented to award reward points automatically based on

predetermined rules stored in a database (for example at the issuing bank), then there is no requirement for a specific instruction for awarding reward points to be sent as part of the credit card transaction. As described above, the transaction information (purchase price, item identification, purchaser identification, merchant identification) will be passed on to the issuing bank, and the issuing bank will use that information along with the rules database to determine if reward points should be awarded, how many points, etc. based on the rules previously established.

In a further embodiment wherein a cluster of merchants has been formed as described above, the issuing bank may send information regarding some or all of the cluster merchants and the purchaser's respective reward accounts for each merchant, and the POS terminal will display this cluster information similarly to the case above with the single merchant. Thus, for example, the POS terminal display may indicate how many reward points the purchaser has in each of several cluster merchants as follows:

Your BLOCKBUSTER account has 3,750 points

Your CIRCUIT CITY account has 4,654 points

Your FRIENDLY's account has 285 points

This may also be printed on the receipt for convenience of the user.

In a further embodiment, the purchaser may have an aggregation exchange account at the issuing bank (or elsewhere), and the aggregated reward point totals may be sent to the POS terminal for display and/or printing in addition to

the individual reward point accounts. In the case where the issuing bank does not store the aggregated reward point account, then the issuing bank may issue a request to the appropriate server to obtain this information accordingly.

5

When a purchaser wishes to make a redemption transaction, he will present the credit card to the terminal and press a button (or an area of the touchscreen) that will indicate that he wishes to utilize reward points to pay for some or all of the purchase price of the item. Assuming that the purchaser indicated he will pay the entire price with points, the terminal will send an instruction to the acquiring bank indicating this, and assuming that the reward account for that merchant and purchaser has ample points in it, then the account will be reduced by the number of points required for the transaction. The number of points required may either be directly communicated to the issuing bank (e.g. 4,000 points for a \$40 purchase), or there may be a set of redemption rules stored at the issuing bank that instructs the issuing bank how many points to use for that purchase. This is similar to the reward rules described above. In any event, the number of points used for the purchase will be displayed and printed, as well as the remaining reward point balance after the transaction is completed.

25

The purchaser may also be given the option to use only some points for redemption. The purchaser will enter the number of points to be used (e.g. after a reward account total is displayed to him) into the POS terminal, and the terminal will proceed to calculate the adjusted purchase price after the reward points have been accounted for. So, for example, if the user indicates that he wants to redeem 1,500 points to

30

reduce the purchase price from \$40.00 to \$25.00, then the credit card transaction will proceed in the amount of \$25.00.

The POS terminal interface may also be adapted to provide the purchaser the option to effect a purchase transaction with reward points (from the merchant account, a related cluster merchant account, and/or or aggregated points), even if the purchaser had not originally intended for the transaction to be a redemption purchase transaction (i.e. use reward points). In this case, once a purchaser has presented the credit card to the terminal and the acquiring bank is informed from the merchant of the purchase price that is requested to be authorized, the acquiring bank requests authorization of the purchase from the issuing bank. The issuing bank may then first look up the reward points for that user that may be available for redemption (e.g. if certain redemption rules are met as explained above) and then inform the merchant terminal (via the acquiring bank) of the points available. The terminal display would then display a message asking the purchaser if he would like to make the purchase with points or a combination of points and other consideration ("You have 24,342 points available for use in this purchase. How many would you like to use?"). The purchaser can elect not to use reward points and instead pay the full purchase price (thus possibly earning him reward points into his account), or he can elect to pay in full with reward points (if enough are available), or he can elect to reduce the purchase price by redeeming some of his points against the purchase price. After the purchaser has made his election, the acquiring bank takes the appropriate steps (i.e. request credit authorization for a reduced price, or a full price, etc.)

In a further embodiment, a smart card may be used as the token with the present invention. A smart card, which has an integrated circuit(s) and associated memory circuits located on the card, as well as input/output contacts, allows for various applications and data to be easily stored, revised, and managed via a smart card terminal. The smart card terminal will be located at a POS as with the credit card terminal described above. In one embodiment, the reward point information obtained by the POS terminal as part of the purchase transaction may be transferred onto the smart card memory so that the purchaser will have updated reward point information stored on the card. That is, when the user enters the smart card into the reader at the merchant POS, the transaction will proceed as described above, and in addition, the smart card terminal will load the reward point account information into the card's memory. The purchaser may then user the smart card at another reader, such as one associated with his personal computer at home, and read out the reward point account information there as well.

This may be used strictly for informational purposes, or it may be used to effect subsequent transactions. For example, in the event that a purchaser has the smart card terminal connected to his PC, he may barter with other entities over the Internet and utilize his points for purchases, trade points, etc. Once his account totals are updated on his card, he can have the updated totals read out the next time he visits the merchant, and the updated totals will be used to revise the account totals at the acquiring bank server accordingly.

In addition to using a credit card or smart card terminal at the merchant's point of sale as described above, it is increasingly popular to implement online purchases, for example with a web site over the Internet. In this case, the user would enter the appropriate credit card number onto a web page (or scan the card with a terminal connected to this PC), and the process would proceed as described above with respect to the merchant POS terminal. Likewise, reward points may be awarded and/or redeemed via telephone as known in the prior art. Other hardware embodiments such as PDA's, cell phones etc. may also be used with the present invention for awarding and redeeming points as described herein.

The present invention enables acquiring banks to setup and manage reward points accounts on behalf of merchants and their customers. In one embodiment, this invention provides for new customer acquisition for a bank that operates as both an acquiring bank and an issuing bank, as now described. When a purchaser has registered as part of the loyalty system herein, the acquiring bank will have information regarding his name, address, etc. When the purchaser uses a credit card to make a purchase as part of the loyalty system herein, data is captured regarding the purchaser. That information may be utilized by the acquiring/issuing bank in order to attempt to obtain his credit card business, for example by preparing and sending him a credit card issued by the acquiring/issuing bank. This acts therefore as a new customer acquisition methodology that will enable acquiring/issuing banks to acquire new customers as a result of using the system of the present invention.

In a further embodiment, a user may be able to transfer reward points from one of his merchant accounts to another user's account as a gift (or for some consideration), and that user will enjoy the benefits of those reward points as if he had earned them himself.

Further details of reward point aggregation will now be described. Reward points aggregation is described in full detail in U.S. Patent No. 6,594,640, owned by the assignee of the present invention, which is incorporated by reference herein. As described in the '640 patent, and with reference to Figure 4, a plurality of reward server computers 10, 12, 14, a trading server 20, a merchant computer 30 and a user computer 40 are shown in communication with a network 40. The network may comprise any type of communication process where computers may contact each other. The present invention will be described with respect to an Internet-based network where the reward server computer 10 is associated with an airline frequent flyer program. Any type of reward server may also be used in this system. The reward server computer may be a credit card reward program such as offered by American Express where the user earns rewards based on purchases or an advertising based award program where the user earns rewards by selecting advertising content.

A user of this system may acquire and accumulate rewards through any prior art means such as shown on Figure 1, which are then posted in a user's reward account 52 that is accessible through the reward server computer 10. The trading server computer 20 is in communication through the network 2 with a user on a user computer 40 and is additionally able to connect to the reward server computers 10, 12, 14 through the

network 2 in accordance with techniques well known in the art for Internet communications. The merchant computer 30 is representative of any site that can communicate with the network that has goods or services for sale or trade. The merchant may have a direct relationship with the trading server where the direct relationship allows for a streamlined process for allowing a user to acquire products offered via the merchant computer. Alternatively, the merchant computer may be an independent merchant that does not currently have a profile defined in the trading server that will accept payment from another computer system in any one of well known e-commerce embodiments.

The rewarding entities may be any type of entity that has a service for allocating points or consideration for user actions. The reward server computers 10, 12, 14 may be of any type of accessible server capable of holding data about a user along with a corresponding earned value that is negotiable for other goods, services, or points of another system. In the preferred embodiment, the airline reward server computer 10 may refer to one or several different airlines that have frequent flyer programs or the like. The credit card reward server computer 12 may refer to any type and number of credit card server systems capable of holding, increasing or decreasing a user's earned rewards acquired according to the terms of the credit card program to which the user has enrolled. The marketing reward server computer 14 may refer to one or a multitude of network accessible marketing systems that allow a user to have an account where points or other redeemable value may be stored, updated and redeemed by a user. The trading server computer may be any type of computer system that allows users to access the system in order to

perform the processes involved in this invention. In the preferred embodiment all of the systems described are accessible through the Internet and the user may freely navigate to any site by means well known in the art.

5

The present invention allows issuers who originally sold reward points in their program for use as an incentive by third parties to repurchase points at a substantial discount, thereby reducing their liability and allowing for a trading strategy that enables points to continually be sold and repurchased. This may be a separate accounting procedure than what is used for points that are granted.

The method of allowing the user to redeem the accumulated reward points from one or more of a plurality of reward entities will now be described with respect to Figure 4 and the data flow diagram of Figure 6. The trading server system would allow users to "log in" to access the functionality provided where the user may interact with applications, forms or controls. For example, the user may view his account information by using a web browser to enter the appropriate identification information and then select buttons, links or other selectable objects to navigate to the part of the system desired. The user, from the user computer, makes a request to the trading server computer 20 at step 102, requesting redemption through the network 2 for a portion of the pre-accumulated reward points stored for the user in one of the rewarding entities. A user reward account 52 is associated with each of the reward servers but is only shown in Figure 4 connected to the airline server for sake of clarity. The user may interactively select rewards to be redeemed, or the system may determine which rewards are to be redeemed based on a

previously defined user profile rule. The trading server computer 20 "obtains" the reward points from a reward server 10, 12, 14 stored in the user's account 52 by contacting the appropriate reward server at step 110 according to the user's requirements, by using the connection parameters as defined in a database 54 on the trading server as shown in Figure 5. In one embodiment, the trading server retrieves reward account balance information at step 114 from the reward server for the user. In another embodiment, the trading server transfers as part of the communication 110, the requested reward mileage to be redeemed. The reward server computer 10 decreases the users reward account 52 by the requested number of reward points. The term point is used to reference any earned value that has a cash equivalent or negotiable worth as in "frequent flyer" point or mile. The reward server computer 10 conveys consideration to the trading server computer 20 where the consideration corresponds to the number of reward points decreased in the user's account 52 on the reward server 10. For example, the consideration may be in the form of a monetary credit to an account that exists between the trading server and the reward server, that gets paid at the end of a predefined billing cycle (i.e. every month). The trading server computer 20 increases the reward exchange account 54 associated with the user by the received number of points. The trading server computer 20 in turn, receives the consideration from the reward server computer 10.

In the second part of the transaction (see Figure 7), the user from a user computer 40 may make a request 150 to purchase an item from an associated merchant computer 30. In the preferred embodiment, the merchant computer system will be a networked computer system accessible via the Internet. The

user would visit the site by selecting on a link from the trading server's web site or by entering the name or address of the destination site. The user may identify one or many items to be acquired from one or several merchants 30. The trading server computer 20 would confirm that the user has sufficient points to purchase the selected item by checking the user's reward exchange account 54. The trading server computer 20 would request the merchant computer to deliver the item to the user. The user delivery information may be retrieved from the trading server computer 20 or may be supplied in some other manner. The trading server computer 20 would decrease the user exchange account 54 by the number of points corresponding to the purchased item. The trading server computer 20 conveys consideration to the merchant computer 30 equivalent to the cost of the item by means well known in the art of electronic commerce (eg. by a preexisting account, credit card, etc.) In the alternative, the consideration may be a direct transfer of points to an account associated with the merchant.

Policies and profiles may be established to automatically contact each of the reward servers according to a user redemption profile (see Figure 5) to transact the required payment for an item selected by a user. This profile may indicate the order of redemption and method of providing funds sufficient to cover the purchase after redeemable points are exhausted. For example, if a user has a preferred air carrier where the user would like to retain mileage in that reward system, the user may specify a priority of use indicating the reward resources that should be exhausted prior to accessing the most desirable rewards. Following the selection of an item to be acquired, the server may contact

all of the reward resources according to this profile to selectively redeem each as required to meet the purchase price. The process may be performed in real time or as a background process where the user may select how the transaction should proceed. If the user exhausts lower personal worth resources from the reward servers, the system may be required to contact the user before the transaction is allowed to proceed to redeem points. A classification system may also be used to indicate rewards of similar worth. If for instance, a frequent flyer program supports multiple classifications of miles that may be redeemed differently, the user may optionally define how those resources should be managed during redemption. The redemption process would then honor those rules elected by the user to select from several different reward programs instead of redeeming rewards strictly on a value required from the first reward program contacted.

Figure 8 describes the process steps involved in enrolling a user to utilize the trader server. The data entered by the user may be used in determining whether a user allows unsolicited offers to be presented from the trading server. The user's preferences for manufactured goods services, products, travel destinations, hobbies, interests or any other user entered criteria may be stored in the database for subsequent use by the system. The trading server has the ability to receive offers from reward servers or merchants which may then be directed to users based on the database profile information provided by the user (see Figure 9).

The trading server may also be contacted in response to a button or hyperlink located on a web page accessible by

the user from the airline reward server. In a similar manner, hyperlinks or calling routines may allow a user to access a reservations system or merchant from the trading server. The link would direct the user to partner or associated air carriers where the points in a user exchange account on the trading server 20 may be used to acquire reduced fare flights.

The system used to implement the aforementioned method will now be disclosed with respect to Figure 5. The system is comprised of a trading server computer connected to a network of computers where a user interface is established whereby a user from a user computer may access the server to request the transaction to contact a reward server computer system. In the preferred embodiment, the server has memory means for storing the user account information, user profiles and rules specified by the user, system, or merchant. The trading server also has communications means to allow users to access the server and to allow the trading server to contact reward servers and processing means to interpret the rules and coordinate the contact to the respective reward servers. The processing means is adapted to allow the user to request and exchange consideration for rewards from reward servers. The processing means additionally is adapted to coordinate the exchange of consideration and increase or decrease the user exchange accounts stored in memory in response to actions performed by the user computer, reward server and merchants.

In the preferred embodiment, the memory means comprises a database structure that is used to record the transactions associated with the previously described method. Records indicating the changes and current value of user

exchange accounts are updated according to the request processed by the processor.

5 In response to a request for redemption, the trading server looks up the contact properties of the reward server to be contacted. The user information is submitted to the reward server to display the available points that may be redeemed. In another embodiment, the request additionally contains a value to be redeemed. The processor establishes a
10 communication link with the reward server and a transaction request is sent to the processor of the reward server. The processor of the reward server may perform actions that may allow or refuse the requested action. In another embodiment, the trading server processor may be granted direct
15 authorization to modify the user's records in the reward server database without analysis by the processor of the reward server. A conversion rate may be applied to the transaction such that the reward server reduces the available rewards in the user's account. The reward server then
20 transfers consideration to the trading server that corresponds to the value reduced in the reward system. In response to the receipt of the transfer or approval of the transfer, the trading server increments the user account balance to reflect the received consideration and the connection to the reward
25 server is dropped. A transaction log may be used to record each of the transactions in case a reconciliation process is required at a later time. The increase in the user's exchange account may then be stored until a user finds an item to be purchased.

30 The user selects the desired object from the merchants by indicating the type of product or service to be

procured. In one embodiment, the trading server contacts the merchant server to return to the user a list of products that match the user's search criteria or if the user had specified in detail what was desired, the product may be directly
5 acquired from a merchant. A communication link is established between the trading server and the merchant computer or designee for e-commerce. Direct acquisition may be enacted by contacting the merchant computer and supplying the user indicia, the product indicia, and the redemption value
10 sufficient to secure the transaction. In response to the transaction request, the merchant computer will receive the consideration supplied and contract for the delivery of the product. In another embodiment, the consideration required for the item selected is sent to the trading server where
15 based on the available points in the user's exchange account the trading server will determine whether the consideration is available. An authorization process may be incorporated at this point to request authorization from the user or in a more simplified process, the consideration will be transferred to
20 the merchant computer and the user's exchange account will be reduced. The merchant computer will receive the consideration and will effectuate a delivery transaction to be issued.

The goods may also be placed under direct control of
25 a distribution arm of the trading service so that the user places the order with the trading service directly and the merchants are not directly involved with the sale of the goods.

30 Thus, the present invention provides a liability management system for issuers of reward points, which allows them to take points off the books and eliminate them, if

desired, at a discount rate. This system enables the sale or repurchase of points with a trading strategy in which points need not expire.

5 The present system may be implemented by means of a smart card wherein frequent use points may be accumulated on the user's card every time the card is used for associated application. For example, if a user uses his smart card to pay for a hotel that normally gives reward points, those
10 reward points may be stored on the smart card. Likewise, when the card is used for the purchase of an airline ticket, the points would be added to the smart card. The user may then redeem the accumulated reward points by inserting the card into a vender associated with a computer connected to the
15 Internet. The trading process proceeds as described above, except that the points are obtained directly from the smart rather than a reward server.

20 The user may have a credit card, debit card, or stored value card that is linked to their points account in such a way as to permit them to pay for purchases with a merchant by using the card, wherein the merchant uses the existing credit card payment infrastructure as if payment were being made/authorized by a bank linked to the credit card or
25 debit card account, but in fact the card is linked to the user's points account. In this manner, the user and merchant can use the points account to pay for purchases in a seamless manner whereby points are used for consideration rather than or as a supplement to cash and traditional credit.

Other aspects of this invention will now be disclosed that will enhance the reader's understanding of the application of this invention.

5 The user can purchase points from the system, borrow points from the system, etc., and basically treat the points as cash consideration for purposes of such transactions.

10 The system can prioritize the order of points being traded based on a predetermined set of rules such as in higher value points being issued before those with a lower value.

15 Merchandisers also benefit from the use of this system where another marketing channel is afforded for products that are often purchased by frequent travelers with high disposable income. Products and services encompassing jewelry, flowers, limousine transport, timeshare rental may be exchangeable for points stored in this system. Items purchased through the system may also be paid for by a combination of
20 points and currency which might be the case when a user does not have enough accrued points to meet the purchase consideration of an item selected.

25 It is anticipated that high quality limited access products may benefit from the distribution methods afforded by this system. For example, companies like DeBeers and Chanel may take advantage of this distribution means without impacting the level of quality or excellence associated with their products.

30 Manufacturers can discount or liquidate goods for points in a manner that doesn't negatively affect the

perceived value of the goods (i.e. not in direct competition with the mainstream sales). That is, the manufacturer can place overstocked, end of run type goods and the like, place them in the chain of distribution for exchange with points, and not be in direct competition with cash sales of its mainstream products.

Resort destinations that are managed by property management companies such as RCI may be integrated into this system where instead of trading accommodations with only those having similar property, it is now possible that the rental of the property may be achieved by conversion for points.

Offers may be distributed to users of this system where substantial rebates or reduced rates are described in the offer. Time sensitive product offerings can also be accommodated in the system where the value of the product is decreased according to a life span of the product. Time sensitive product offerings such as food products or concert tickets can have an associated diminishing or escalating value based on the length of the offer.

Using this system it is now possible to coordinate the products of several different providers into one package. A user of this system may therefore select an airline, hotel, car rental and Broadway show tickets in New York, individually or in a prepared package from one location by trading points where the package may not have existed before where the trading system coordinates all aspect of the transaction and reduces the user's exchange rewards in a corresponding manner.

Other purchasing leverage not specifically addressed previously may also be acquired by combining the power of a pool of high profile users of this system where these users may be allocated access to products or services not generally distributed to the remainder of the system users. Points collected in the system by these users may afford them access to limited distribution channels where higher discount levels or premium luxury products may be acquired. Direct access to cartel products such as diamonds, duty free items and other restricted access product or service offerings are also accommodated through the coordination of the trading server with these specialized service and product providers. For example, a preferred client distribution channel such as found in a European market for luxury goods would be made available to users of this system where the prices for the objects in this preferred channel may be significantly lower than retail for objects that are typically reserved for limited distribution at premium prices. The trading server may additionally have exclusive rights to allocate access to certain premium products, services, events, travel destinations or accommodations in accordance with any right or grant permitting such allocation to any user of the system. A distribution channel may make available exclusive products for all or a limited amount of the members of the system where the trading server system controls access to the offer. Parameters associated with the available quantity, duration, exchange rates, etc may be input into the system to be used in the allocation algorithm to restrict the offer. Upon user access, the trading server would, in these cases, modify the premiums offered to reflect the immediately attainable items for the current user and may additionally display or provide access to premiums that may be acquired through payment by

other means (i.e. cash, charge, debit) to make up the difference between the user's available points and the points required to accept the offer.

5 In another embodiment of this invention, airlines seeking to provide higher levels of personalized service for their business travelers will provide access to the Internet or access to in-flight services such as video games, for a fee or in place of granting mileage rewards on transcontinental or
10 transatlantic flights. Access to video games may be afforded to the traveler where the availability of different games depends on the number of reward points traded in by the traveler. The rewards may be converted using the trading server of this invention, where the user may opt to forego
15 collecting mileage in return for accessing on-board entertainment provided in a standalone mode or in a linked mode. For example, users may select to play video games, access the Internet or utilize Email via a seatback or tray table mounted interface and controller. The user may
20 optionally connect a laptop computer to an interface port of the aircraft using an Ethernet, parallel, USB connection or proprietary connector provided by the air carrier. In the preferred embodiment, the user would select the connection speed and type for communications based on whether in-flight
25 or external services were to be accessed. Other types of business services may additionally be used and accounted for, such as using network printers or fax equipment. RF, satellite or microwave based communications may be used for real time communications where sufficient geographical
30 coverage is provided.

The interface would allow a user to login using the frequent flyer account information or preferably, the trading server account login id and password, where the user may use points awarded from another air carrier or point server to "pay" for the services accessed. The account balance from the trading server may be transferred to the local controller prior to takeoff for each user that logs in to the trading server. Once the plane has departed, depending on the linking or access capability afforded by the air carrier or service provider, the user's account may be modified in real time or upon reconnection following landing, based on services selected by the traveler. If a real time link is supported, the user's exchange account may be periodically debited according to the services selected and duration of use.

In another aspect of the invention, an electronic bartering system is implemented, wherein product manufacturers, producers, distributors, etc. can provide surplus or overstocked goods for liquidation into the chain of supply of the system and exchange then for points as described herein. This provides an inventory management and liquidation system for these manufacturers and sellers.

In addition, the value of the reward points may fluctuate as a function of the company's performance, which may be measured by reference to the price of its stock, revenue, earnings, or some other parameter that is agreed to that reflects the relative performance of the company. In this manner, companies that perform well would provide an additional incentive to a user for using their frequent use program rather than a competitor's program. For example, all other parameters being the same, a user would likely choose

the Acme credit card company over the Beta credit card company when the user determines that the Acme company performance results in a 10% increase in the number of points otherwise earned by using its credit card. The value may also fluctuate as a function of the number of points outstanding or the desirability of the issuer to reduce its liability or make it more robust.

5

APPENDIX 2

Claims

Support

1.A method of operating a reward points system in conjunction with a network, the network interconnecting with a plurality of merchants and at least one issuing bank for issuing a credit card to a user, the method comprising the steps of:	10/791,149: Figs 11 and 12; page 7 line 20 through page 9 line 21
a user executing a purchase transaction with a merchant;	10/791,149: Page 7, lines 28-30; page 10, lines 13-17
the user presenting a token during the purchase transaction, the token having a user identification associated therewith;	10/791,149: Page 7, line 34 through page 8 line 5; page 10, lines 13-17; page 14, lines 12-19
the merchant providing purchase transaction information to the issuing bank via the network to enable the issuing bank to add reward points to a merchant reward point account associated with the merchant and the user.	10/791,149: Figure 12; page 10 lines 6-13; page 11 lines 4-20; extended to issuing banks as per page 11 lines 23-26.
2. The method of claim 1 wherein the purchase transaction is a credit card transaction, the token is a credit card, and the user identification number associated therewith is the user's credit card number.	10/791,149: Page 7, line 34 through page 8 line 5; page 10 line 13-17

<p>3. The method of claim 1 wherein the purchase transaction is a non-credit transaction, the token is a credit card, and the user identification number associated therewith is the user's credit card number, wherein the user may earn reward points into the user's reward point account associated with a merchant by presenting the credit card to the merchant only for purposes of referencing the user's reward point account with the issuing bank.</p>	<p>10/791,149: Page 14 lines 4-34.</p>
<p>12. The method of claim 1 wherein the merchant transmits, as part of the purchase transaction, an instruction to the issuing bank to add reward points to the merchant reward point account associated with the merchant and the user.</p>	<p>10/791,149: Page 10 lines 6-13.</p>
<p>13. The method of claim 1 wherein the issuing bank automatically adds reward points to the merchant reward point account associated with the merchant and the user based on a previously defined rule.</p>	<p>10/809,185: Page 14 lines 12-17</p>
<p>14. The method of claim 13 wherein the previously defined rule provides for the issuing bank to automatically add reward points to the merchant reward point account associated with the merchant and the user based on an item purchased by the user.</p>	<p>10/809,185: Page 14 lines 17-23</p>

15. The method of claim 13 wherein the previously defined rule provides for the issuing bank to automatically add reward points to the merchant reward point account associated with the merchant and the user based on a purchase price of an item purchased by the user.	10/809,185: Page 14 lines 23-26.
16. The method of claim 13 wherein the previously defined rule provides for the issuing bank to automatically add reward points to the merchant reward point account associated with the merchant and the user based on the geographic location of the merchant.	10/809,185: Page 14 lines 26-29.
17. The method of claim 13 wherein the previously defined rule provides for the issuing bank to automatically add reward points to the merchant reward point account associated with the merchant and the user based on the date of the purchase transaction.	10/809,185: Page 14 lines 29-33.
18. The method of claim 13 wherein the previously defined rule provides for the issuing bank to automatically add reward points to the merchant reward point account associated with the merchant and the user based on the time of day of the purchase transaction.	10/809,185: Page 14 lines 29-33.
19. The method of claim 1 further comprising the step of redeeming reward points from the merchant reward point account by the steps of	10/791,149: Page 15 lines 8-13

the user executing a redemption purchase transaction with the merchant;	
presenting the token during the redemption purchase transaction for utilizing reward points from the merchant reward point account for the redemption purchase transaction;	10/791,149: page 15 lines 13-21
the issuing bank reducing the merchant reward point account associated with the merchant and the user by the amount of points used in the redemption purchase transaction.	10/791,149: page 15 lines 21-27
20. The method of claim 19 wherein the user executes the redemption purchase transaction completely with reward points from the reward point account at the issuing bank.	10/791,149: Page 15 lines 10-13
21. The method of claim 19 wherein the user executes the redemption purchase transaction partially with reward points from the reward point account at the issuing bank and partially with other consideration.	10/791,149: Page 15 lines 10-21
22. The method of claim 19 wherein the merchant transmits, as part of the redemption purchase transaction, an instruction to the issuing bank to subtract reward points from the merchant reward point account associated with the merchant and the user.	10/791,149: Page 15 lines 25-27

23. The method of claim 19 wherein the issuing bank automatically subtracts reward points from the merchant reward point account associated with the merchant and the user based on a previously defined rule.	10/809,185: Page 21 line 22 through page 22 line 6.
24. The method of claim 23 wherein the previously defined rule provides for the issuing bank to automatically subtract reward points from the merchant reward point account associated with the merchant and the user based on an item redeemed for by the user.	10/809,185: Page 21 lines 30-32.
25. The method of claim 23 wherein the previously defined rule provides for the issuing bank to automatically subtract reward points from the merchant reward point account associated with the merchant and the user based on a redemption purchase price of an item redeemed for by the user.	10/809,185: Page 21 line 21 through page 22 line 2.
26. The method of claim 23 wherein the previously defined rule provides for the issuing bank to automatically subtract reward points from the merchant reward point account associated with the merchant and the user based on the geographic location of the merchant.	10/809,185: Page 22 lines 2-3.

27. The method of claim 23 wherein the previously defined rule provides for the issuing bank to automatically subtract reward points from the merchant reward point account associated with the merchant and the user based on the date of the redemption purchase transaction.	10/809,185: Page 22 lines 4-6.
28. The method of claim 23 wherein the previously defined rule provides for the issuing bank to automatically subtract reward points from the merchant reward point account associated with the merchant and the user based on the time of day of the redemption purchase transaction.	10/809,185: Page 22 lines 4-6.
29. The method of claim 1 comprising the further step of establishing a cluster of participating merchants, each of which have merchant reward point accounts established with an issuing bank.	10/791,149: Page 21 line 14 through page 23 line 11
30. The method of claim 29 comprising the further steps of allowing reward points from a reward point account associated with one of the participating merchants in the cluster to be redeemed with another participating merchant in the cluster.	10/791,149: Page 22, lines 7-9; page 40 lines 21-29

<p>31. The method of claim 30 comprising the further step of disallowing reward points from a reward point account associated with a merchant that is not a participating merchant in the cluster to be redeemed with a participating merchant in the cluster.</p>	<p>10/791,149: Page 22, lines 7-9; page 40 lines 21-29</p>
<p>32. The method of claim 1 further comprising the steps of establishing a reward point exchange account associated with a user on a database on the network; selecting reward points from each of a plurality of merchant reward point accounts associated with the user for exchange into the reward point exchange account; and aggregating the selected reward points into the reward point exchange account.</p>	<p>10/791,149: Page 16 line 7 through page 18 line 33</p>
<p>33. The method of claim 32 further comprising the step of the user redeeming aggregated reward points from the user's reward point exchange account by the steps of the user executing a redemption purchase transaction with a merchant; the user indicating to the merchant that aggregated reward points from the reward point exchange account should be utilized for the redemption purchase transaction; and the reward point exchange account being reduced by the number of aggregated reward points utilized for the redemption purchase transaction.</p>	<p>10/791,149: Page 19 line 1 through 19</p>

<p>34. The method of claim 32 comprising the further steps of:</p> <p style="padding-left: 40px;">establishing a cluster of participating merchants, each of which have merchant reward point accounts established with an issuing bank;</p>	10/791,149: Page 21 line 14 through page 22 line 9
<p style="padding-left: 40px;">allowing aggregation of reward points from each of the participating merchants in the cluster into the user's reward point exchange account; and</p>	10/791,149: Page 21 line 14 through page 22 line 9
<p style="padding-left: 40px;">disallowing aggregation of points from a merchant which is not a member of the cluster.</p>	10/791,149: Page 21 line 14 through page 22 line 9
<p>35. The method of claim 34 comprising the further step of allowing for redemption of aggregated reward points only with merchants that are members of the cluster.</p>	10/791,149: Page 21 line 14 through page 22 line 9
<p>36. The method of claim 33 wherein the reward point exchange database is administered by an operator on the network.</p>	10/791,149:Page 16 line 20 through page 18 line 6.
<p>37. The method of claim 33 wherein the reward point exchange database is administered by an issuing bank.</p>	10/791,149: Page 20 lines 5-20.
<p>38. The method of claim 33 wherein reward points from an independent reward point system may be aggregated into the reward point exchange account.</p>	10/791,149:Page 18 lines 29-34

39. The method of claim 1 wherein the step of the merchant providing purchase transaction information to the issuing bank via the network is executed via an acquiring bank that is part of the network.	10/791,149: Figures 11 and 12, page 7 line 30 through page 8 line 16.
40. The method of claim 1 wherein the number of reward points added to the merchant reward point account is a percentage of a purchase price associated with the purchase transaction.	10/809,185: Page 63 lines 22-25.
41. The method of claim 1 wherein the network is a credit card network comprising a plurality of issuing banks, a plurality of acquiring banks, and a plurality of merchants.	10/791,149: Figures 11 and 12; page 7 line 20 through page 9 line 6.
42. The method of claim 1 wherein the network is a global communications network.	10/791,149: Page 8 lines 5-8.
43. The method of claim 42 wherein the global communications network is the Internet.	10/791,149: Page 8 lines 5-8.
44. The method of claim 1 wherein the network is a wireless network.	10/809,185: Page 33 lines 2-25.
45. The method of claim 1 wherein the network is an interactive television network.	10/791,149: Page 8 lines 5-8.
46. The method of claim 1 wherein the user executes the purchase transaction at a physical point of sale	10/791,149: Page 7 line 34 through page 8 line 5.

associated with the merchant and the user physically presents the token to the merchant.	
47. The method of claim 1 wherein the user executes the purchase transaction via a web site associated with the merchant, and the user enters the user identification associated with the token to the web site.	10/791,149: Page 8 lines 5-8.
48. The method of claim 19 wherein the user executes the redemption purchase transaction at a physical point of sale associated with the merchant and the user physically presents the token to the merchant.	10/791,149: Page 15 lines 8-18.
49. The method of claim 19 wherein the user executes the redemption purchase transaction via a web site associated with the merchant, and the user enters the user identification associated with the token to the web site.	10/791,149: Page 15 lines 8-18.
50. The method of claim 32 wherein the user indicates the aggregation of selected reward points into the reward point exchange account via a web site over the Internet.	10/791,149: Page 16, line 20 through page 17 line 21.

51. A reward points system operating on a network, the network interconnecting with a plurality of merchant systems and at least one issuing bank system for issuing a credit card to a user, wherein: each of the merchant systems comprises:	10/791,149: Figs 11 and 12; page 7 line 20 through page 9 line 21
means for executing a purchase transaction with a user;	10/791,149: Page 7, lines 28-30; page 10, lines 13-17
means for accepting presentation of a token by a user for payment of the purchase transaction, the token having a user identification associated therewith; and	10/791,149: Page 7, line 34 through page 8 line 5; page 10, lines 13-17; page 14, lines 12-19
means for providing purchase transaction information to the issuing bank system via the network to enable the issuing bank system to add reward points to a merchant reward point account associated with the merchant system and the user.	10/791,149: Figure 12; page 10 lines 6-13; page 11 lines 4-20; extended to issuing banks as per page 11 lines 23-26.
52. The system of claim 51 wherein the purchase transaction is a credit card transaction, the token is a credit card, and the user identification number associated therewith is the user's credit card number.	10/791,149: Page 7, line 34 through page 8 line 5; page 10 line 13-17

<p>53. The system of claim 51 wherein the purchase transaction is a non-credit transaction, the token is a credit card, and the user identification number associated therewith is the user's credit card number, wherein the user may earn reward points into the user's reward point account associated with a merchant system by presenting the credit card to the merchant system only for purposes of referencing the user's reward point account with the issuing bank system.</p>	<p>10/791,149: Page 14 lines 4-34.</p>
<p>62. The system of claim 51 wherein the means for providing purchase transaction information to the issuing bank system via the network to enable the issuing bank system to add reward points to a merchant reward point account associated with the merchant system and the user comprises means for transmitting an instruction to the issuing bank system to add reward points to the merchant reward point account associated with the merchant system and the user.</p>	<p>10/791,149: page 10 lines 6-13.</p>

63. The system of claim 51 wherein the issuing bank system comprises means for automatically adding reward points to the merchant reward point account associated with the merchant system and the user based on a previously defined rule.	10/809,185: Page 14 lines 12-17
64. The system of claim 63 wherein the previously defined rule provides for the issuing bank system to automatically add reward points to the merchant reward point account associated with the merchant system and the user based on an item purchased by the user.	10/809,185: Page 14 lines 17-23
65. The system of claim 63 wherein the previously defined rule provides for the issuing bank system to automatically add reward points to the merchant reward point account associated with the merchant system and the user based on a purchase price of an item purchased by the user.	10/809,185: Page 14 lines 23-26.
66. The system of claim 63 wherein the previously defined rule provides for the issuing bank system to automatically add reward points to the merchant reward point account associated with the merchant system and the user based on the geographic location of the merchant.	10/809,185: Page 14 lines 26-29.

67. The system of claim 63 wherein the previously defined rule provides for the issuing bank system to automatically add reward points to the merchant reward point account associated with the merchant system and the user based on the date of the purchase transaction.	10/809,185: Page 14 lines 29-33.
68. The system of claim 63 wherein the previously defined rule provides for the issuing bank system to automatically add reward points to the merchant reward point account associated with the merchant system and the user based on the time of day of the purchase transaction.	10/809,185: Page 14 lines 29-33.
69. The system of claim 51 wherein the merchant system further comprises: means for executing a redemption purchase transaction with the user;	10/791,149: Page 15 lines 8-13
means for accepting presentation of a token by a user for payment of the redemption purchase transaction, the token having a user identification associated therewith; and	10/791,149: page 15 lines 13-21
means for providing redemption purchase transaction information to the issuing bank system via the network to enable the issuing bank system to subtract, from a merchant reward point account associated with the merchant system and the user, the number of points used in the redemption purchase	10/791,149: page 15 lines 21-27

transaction.	
70. The system of claim 69 wherein the user executes the redemption purchase transaction completely with reward points from the reward point account at the issuing bank system.	10/791,149: Page 15 lines 10-13
71. The system of claim 69 wherein the user executes the redemption transaction partially with reward points from the reward point account at the issuing bank system and partially with other consideration.	10/791,149: Page 15 lines 10-21
72. The system of claim 69 wherein the means for providing redemption purchase transaction information to the issuing bank system comprises means for transmitting, as part of the redemption purchase transaction, an instruction to the issuing bank system to subtract reward points from the merchant reward point account associated with the merchant system and the user.	10/791,149: Page 15 lines 25-27
73. The system of claim 69 wherein the issuing bank system comprises means for automatically subtracting reward points from the merchant reward point account associated with the merchant system and the user based on a previously defined rule.	10/809,185: Page 21 line 22 through page 22 line 6.

74. The system of claim 73 wherein the previously defined rule provides for the issuing bank system to automatically subtract reward points from the merchant reward point account associated with the merchant system and the user based on an item redeemed for by the user.	10/809,185: Page 21 lines 30-32.
75. The system of claim 73 wherein the previously defined rule provides for the issuing bank system to automatically subtract reward points from the merchant reward point account associated with the merchant system and the user based on a redemption purchase price of an item redeemed for by the user.	10/809,185: Page 21 line 21 through page 22 line 2.
76. The system of claim 73 wherein the previously defined rule provides for the issuing bank system to automatically subtract reward points from the merchant reward point account associated with the merchant system and the user based on the geographic location of the merchant.	10/809,185: Page 22 lines 2-3.
77. The system of claim 73 wherein the previously defined rule provides for the issuing bank system to automatically subtract reward points from the merchant reward point account associated with the merchant system and the user based on the date of the redemption purchase transaction.	10/809,185: Page 22 lines 4-6.

<p>78. The system of claim 73 wherein the previously defined rule provides for the issuing bank system to automatically subtract reward points from the merchant reward point account associated with the merchant system and the user based on the time of day of the redemption purchase transaction.</p>	<p>10/809,185: Page 22 lines 4-6.</p>
<p>79. The system of claim 51 in which a cluster of participating merchants is established, each of which have merchant reward point accounts established with an issuing bank.</p>	<p>10/791,149: Page 21 line 14 through page 23 line 11</p>
<p>80. The system of claim 79 in which reward points from a reward point account associated with one of the participating merchants in the cluster may be redeemed with another participating merchant in the cluster.</p>	<p>10/791,149: Page 22, lines 7-9; page 40 lines 21-29</p>
<p>81. The system of claim 80 in which reward points from a reward point account associated with a merchant that is not a participating merchant in the cluster may not be redeemed with a participating merchant in the cluster.</p>	<p>10/791,149: Page 22, lines 7-9; page 40 lines 21-29</p>

<p>82. The system of claim 51 further comprising: a database comprising a plurality of reward point exchange accounts, each reward point exchange account associated with a user; means for allowing the selection of reward points from each of a plurality of merchant reward point accounts associated with the user for exchange into the reward point exchange account; and means for aggregating the selected reward points into the reward point exchange account.</p>	<p>10/791,149: Page 16 line 7 through page 18 line 33</p>
<p>83. The system of claim 82 wherein the user redeems aggregated reward points from the user's reward point exchange account by executing a redemption purchase transaction with a merchant; utilizing aggregated reward points from the reward point exchange account for the redemption purchase transaction; and the reward point exchange account is reduced by the number of aggregated reward points utilized for the redemption purchase transaction.</p>	<p>10/791,149: Page 19 line 1 through 19</p>
<p>84. The system of claim 52 wherein a cluster of participating merchants are established, each of which have merchant reward point accounts established with the issuing bank;</p>	<p>10/791,149: Page 21 line 14 through page 22 line 9</p>

<p>reward points are able to be aggregated from each of the participating merchants in the cluster into the user's reward point exchange account; and</p>	<p>10/791,149: Page 21 line 14 through page 22 line 9</p>
<p>reward points are not allowed to be aggregated from a merchant which is not a member of the cluster.</p>	<p>10/791,149: Page 21 line 14 through page 22 line 9</p>
<p>85. The system of claim 84 wherein aggregated reward points may be redeemed only with merchants that are members of the cluster.</p>	<p>10/791,149: Page 21 line 14 through page 22 line 9</p>
<p>86. The system of claim 83 wherein the reward point exchange database is administered by an operator on the network.</p>	<p>10/791,149:Page 16 line 20 through page 18 line 6.</p>
<p>87. The system of claim 83 wherein the reward point exchange database is administered by an issuing bank.</p>	<p>10/791,149: Page 20 lines 5-20.</p>
<p>88. The system of claim 83 wherein reward points from an independent reward point system may be aggregated into the reward point exchange account.</p>	<p>10/791,149:Page 18 lines 29-34</p>
<p>90. The system of claim 51 wherein the number of reward points added to the merchant reward point account is a percentage of a purchase price associated with the purchase transaction.</p>	<p>10/809,185: Page 63 lines 22-25.</p>

91. The system of claim 51 wherein the network is a credit card network comprising a plurality of issuing banks, a plurality of acquiring banks, and a plurality of merchants.	10/791,149: Figures 11 and 12; page 7 line 20 through page 9 line 6.
92. The system of claim 51 wherein the network is a global communications network.	10/791,149: Page 8 lines 5-8.
93. The system of claim 92 wherein the global communications network is the Internet.	10/791,149: Page 8 lines 5-8.
94. The system of claim 51 wherein the network is a wireless network.	10/809,185: Page 33 lines 2-25.
95. The system of claim 51 wherein the network is an interactive television network.	10/791,149: Page 8 lines 5-8.
96. The system of claim 51 wherein the user executes the purchase transaction at a physical point of sale associated with the merchant and the user physically presents the token to the merchant.	10/791,149: Page 7 line 34 through page 8 line 5.
97. The system of claim 51 wherein the user executes the purchase transaction via a web site associated with the merchant, and the user enters the user identification	10/791,149: Page 8 lines 5-8.

associated with the token to the web site.	
98. The system of claim 69 wherein the user executes the redemption purchase transaction at a physical point of sale associated with the merchant and the user physically presents the token to the merchant.	10/791,149: Page 15 lines 8-18.
99. The system of claim 69 wherein the user executes the redemption purchase transaction via a web site associated with the merchant, and the user enters the user identification associated with the token to the web site.	10/791,149: Page 15 lines 8-18.
100. The system of claim 82 wherein the user indicates the aggregation of selected reward points into the reward point exchange account via a web site over the Internet.	10/791,149: Page 16, line 20 through page 17 line 21.